Memorandum



5 February 2016

То	Michael Czarnecki		
Copy to			
From		Tel	(07) 3316 3000
Subject	Webber Esplanade revetment wall	Job no.	

1 Introduction

It is understood that the Department of Environment and Heritage Protection (EHP) is investigating a complaint regarding the construction of the revetment wall at Webber Esplanade by Cook Shire Council.

2 Chronology

The following chronological summary is provided;

- Development permit IPDC00316405D11 was issued on the 15 August 2006, for the revetment wall located on Lot 82, Plan BS246 and Lot 83 Plan BS161.
- Tony Lickiss (Council) engaged GHD early February 2014 to complete an assessment of the 'asconstructed' revetment wall. Our assessment is summarised in the memorandum dated 24 February 2014.
- Due to our concerns, lack of site presence during construction and lack of construction record from Council, design certification by GHD, in order for Council to secure an amended approval was not provided.
- On 26 May 2014, the original development permit was amended, and changed assessment manager conditions were issued by the Department of State Development Infrastructure and Planning (DSDIP).
- A Statutory Declaration, certifying construction of the works, was provided by Tony Lickiss on the 24 June 2014, Registered Professional Engineer of Queensland (RPEQ) 8021.

3 Response to EHP

It is understood that EHP's investigations have identified that Council is potentially non-compliant with conditions 1, 2 and 4 of the changed assessment manager conditions.

3.1 Condition 1

Condition 1:

Development must be carried out generally in accordance with the following plans and/or documents, except as modified by these assessment manager conditions:

- Cook Shire Council Webber Esplanade Cooktown Revetment Wall As Built Design General Arrangement Plan' Reference No CSC-C001, Version A1, dated 20/5/2014.
- Cook Shire Council Webber Esplanade Cooktown Revetment Wall As Built Design Sections Sheet 1 of 2, Reference No CSC-C002, Version A1, dated 20/5/2014.
- Cook Shire Council Webber Esplanade Cooktown Revetment Wall As Built Design Sections Sheet 2 of 2, Reference No CSC-C003, Version A1, dated 20/5/2014.

3.2 Condition 1 response

Comparison of survey undertaken on 19 January 2016 by Cook Shire Council against drawings CSC-C001, CSC-C002 and CSC-C003 has been undertaken. Refer to attachments 41-29566 SK001 to SK008. The following comments are provided on the survey comparison;

- The constructed slope is somewhat variable, with sections slopes 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 21 and 24 generally flatter than the design slope of 1 vertical to 2 horizontal.
- Section 20, 22, 23 have a steeper slope than the design slope of 1 vertical to 2 horizontal.
- For the majority of sections, the rock toe is not clearly distinguishable compared to the design profile.
- It is noted that complete survey coverage over the complete design profile, has not been provided in sections 22, 23 and 24.
- Survey of the seabed has not been provided. To aid further investigation, survey of the seabed is recommended.

In the majority of section comparisons, the construction slope exceeds (flatter) than the design slope of 1 vertical to 2 horizontal.

The survey undertaken by Cook Shire Council was on the finished amour slope and crest only. Survey to confirm amour, filter and core rock type and layer thickness has not been undertaken and therefore we currently are not in a position to confirm whether Condition 1 above is completely satisfied.

It is noted that photographs have been provided, however it is generally not clear where the photos were taken with respect to the structure and at which point in time in the construction sequence the photos were taken. Recommendations around further investigation, in order to provide further commentary around Condition 1, are provided below in Section 4.

3.3 Condition 2

Condition 2:

All works are to be constructed in accordance with the drawings and specification listed in this changed approval notice.

The drawings are those listed in Condition 1 above.

There are significant discrepancies between these drawings and GHD drawings dated February 2014 of the constructed sea wall, prepared by GHD for Council,. These drawings are described as follows:

- 'Cook Shire Council Webber Esplanade –Cooktown Revetment Wall As Built Design Check, drawing number SKOO1; and
- 'Cook Shire Council Webber Esplanade –Cooktown Revetment Wall As Built Design Check – Sections SH1, drawing number SKOO2; and
- 'Cook Shire Council Webber Esplanade –Cooktown Revetment Wall As Built Design Check – Sections SH2, drawing number SKOO3; and
- 'Cook Shire Council Webber Esplanade –Cooktown Revetment Wall As Built Design Check – Sections SH3, drawing number SKOO4; and

In particular, the seaward slopes depicted in the GHD drawings are significantly steeper than the seaward slopes depicted in Drawings CSC-001, CSC-002, and CSC-003, which indicates that the wall is built to a steeper slope than the drawings listed in the changed assessment manager conditions. Field observations recently conducted by EHP staff also indicate that the seaward slope of the sea wall is steeper than that depicted in the drawings listed assessment manager conditions.

It is also alleged that key elements of the as constructed sea wall (toe rock, armour rock, and core fill) are not constructed with the materials depicted in the plans listed in the changed assessment manager conditions.

3.4 Condition 2 response

It is noted that the 'as-constructed' survey comparison, as shown in 41-27466 SK001, SK002, SK003 and SK004 (dated February 2014) was made against the originally approved seawall design (dated September 2005) and not against the following drawings referred to within the amended approvals;

- 'Cook Shire Council' Webber Esplanade Cooktown Revetment Wall As Built Design General Arrangement Plan', Reference No CSC-C001, Version A1, dated 20/05/2014.
- 'Cook Shire Council' Webber Esplanade Cooktown Revetment Wall As Built Design Sections Sheet 1 of 2', Reference No CSC-C002, Version A1, dated 20/05/2014.
- 'Cook Shire Council' Webber Esplanade Cooktown Revetment Wall As Built Design Sections Sheet 2 of 2', Reference No CSC-C003, Version A1, dated 20/05/2014.

It is understood that the as-constructed survey provided by Council and relied upon to create SK001, SK002, SK003 and SK004, did become superseded due to further construction by Cook Shire Council.

Refer to Condition 1 response for comparison of 'as-constructed' survey with drawings CSC-001, CSC-002 and CSC003.



3.5 Condition 4

Condition 4

This approval does not constitute a ruling on the structural safety of the works. It is the responsibility of the applicant to ensure adequacy of the design, construction and ongoing maintenance of the works.

It is alleged that Council has not ensured the adequacy of the construction of the works, for the following reasons:

 The original design by GHD was for the sea wall to be able to withstand wave and water level conditions from a design storm of event with a 2% Annual Exceedance Probability (AEP). A key element of this design was for the crest of the wall to be at a height which enables it to withstand water and wave levels corresponding to this design storm event, and to ensure overtopping volumes are within relevant guideline values. The 'as constructed' drawings listed in the changed assessment manager conditions indicate that the wall does not meet these guideline values, and has not been built to meet the 2% AEP criteria as set out in the Department of Environment and Heritage Protection's Operational Policy "Building and Engineering Standards for Tidal Works", dated 25 March 2013.

It is also alleged that this appears to contradict section 2(b)(vi) of the certification provided by Mr Lickiss, which states that 'the works...are designed and constructed in accordance with all appropriate Australian Standards and guidelines except as detailed in the minimum design criteria in the Department of Environment and Heritage Protection's operational policy Building and Engineering Standards for Tidal Works'.

The outer slope of the sea wall has a slope steeper than the as-constructed drawings
referred to in the changed assessment manager conditions; this may place additional
loads on the underlying sea bed material, which may result in movement of the wall.

3.6 Condition 4 response

The 'as-constructed' survey shows that the crest level, for most sections in attached 41-29566 SK-001 to SK-008, has generally been constructed above the design level of +2.52 m AHD. Sections 21 through to 23 show a finish level slightly below the design level of +2.52 m AHD.

GHD provided advice to Tony Lickiss on the overtopping risk and provided recommendations with regards to paving the crest, based on Tony's intention to have a final crest level below the original and approved crest elevation of +4.0 m AHD. The overtopping risk assessment was undertaken based on 'as-constructed' assumptions which are still to be confirmed. This includes armour, filter, core rock type, size and layer thickness.

Rather then re-running an overtopping assessment based on revetment assumptions, we recommend further investigative works, as detailed below in section 4.

Tony Lickiss states on the 24th June 2014 that his certification of construction is in accordance with all appropriate Australian Standards and guidelines except as detailed in the minimum design criteria in the Department of Environment and Heritage Protection's operation policy Building and engineering standards for tidal works. The requirements of the EHP's operation policy are therefore not part of the certification, presumably because the constructed works do not comply with EHP's operational policy. In

our view the certification by Tony Lickiss is flawed and does not meet the requirements of the amended approval conditions.

		Oat	ths Act 1867	
		Statutor	y Declarat	tion
QUEENSLANI TO WIT	D		/	
I, Tony Jame	es Lickiss RPE	EQ 8021		
of 49 Garden	Street, Cook	town		in the State of Queensland
do solemnly a	nd sincerely o	leclare that		
				the provisions of the Professional truction of tidal works.
2. I Certify that	at:			
approved dra with the exce	wings CSC-C	001, CSC-C002, CS	C-C003 and the co ch will be construct	onstructed in accordance with the onditions of the DA SPD-0414-006809 ted as staged works. A seperate statutor
(ii) a (iii) a	re suitable for re structurally are structurally do not impose	the intended useage,	nded location and a r the scour resulting	anticipated usage; ig from flood and tidal conditions; he design capabilities of these existing
works were o (vi) a guidelines ex Protection's o (vii)	onstructed ar are designed cept as detail operational po	nd works designed for and constructed in ac- led in the minimum de licy Building and engi sly affect the usage of	significant scour; cordance with all a sign criteria in the ineering standards	the banks of the waterway in which the appropriate Australian Standards and Department of Environment and Hentag for tidal works; as; and
	nd the banks	of the waterway for a	distance of 15 met	tres around the site of the works are clea
And I make the provisions of			isly believing the sa	ame to be true, and by virtue of the
				- 0
				TA
			Signatu	ure of declarant/deponent
Taken and dec	clared before	Cooktown		
his 24th		June 2014		Alano CD 3893
			Peace	lice of the e/Commissioner for arations.

Figure 1 Statutory Declaration by Tony Lickiss

4 Recommendations

In the first instance, it is recommended that a meeting is called and attended by EHP, Council and GHD representatives to discuss our assessment and further works which we recommend are completed in order to complete an assessment of 'as constructed' revetment wall's expected performance against EHP's operational policy Building and Engineering Standards for Tidal Works. Based on our knowledge of the project and site to date, the following activities are recommended;

- 1. Site visual inspection of the revetment wall coupled with invasive 'peel backs'. The purpose of the 'peel backs' would be to determine the typical armour, filter and core rock thickness and grading.
- 2. Petrography and rock testing to a specification typical for marine rock revetment works.

It is noted that some damage to the existing footpath may occur during the invasive 'peel backs' due to the large machinery required to undertake the works. The number of 'peel backs' will be determined on site under the instruction of an RPEQ and at this stage, it is expected that the extent of works and will be a function of revetment consistency.

It is noted that the geotextile placement at back of wall is not proposed to be either checked and/or certified, unless directed otherwise by either Council and/or EHP.




Figure 2 Existing site (photo supplied by Counci on 19/01/2016)

Post insitu investigation, further assessment of the expected breakwater stability and performance under design event wave loading can be undertaken. In the event that remediation and/or reconstruction works are recommended to ensure revetment stability under design event wave loading, further geotechnical assessment would also be required to ensure that any remediation/reconstruction works do not compromise either short or long term revetment slope stability.

Following the insitu investigation, a short report on the assessed insitu condition and expected performance of the revetment wall would be provided to Council and EHP for consideration.

Regards











2

SK003


SK003

AS-BUILT SURVEYED EXTENTS (2016)

AS-BUILT CONSTRUCTION RECORD (2014)

HYDROGRAPHIC SURVEY

CADASTRAL BOUNDARY MAJOR (1m) CONTOUR MINOR (0.1m) CONTOUR



PRELIMINARY

С	SEABED SURVEY EXTENDED	A.F	18/06/16
В	SEABED SURVEY ADDED	A.F	16/06/16
rev	description	app'd	date

COOK SHIRE COUNCIL WEBBER ESPLANADE REVETMENT WALL AS-BUILT DESIGN CHECK - SHEET 1 OF 2




145 Ann St Brisbane QLD 4000 Australia GPO Box 668 Brisbane QLD 4001 T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com



Conditions of Use: This document may only be used by GHD's client (and any other person who GHD has agreed can use this document) for the purpose for which it was prepared and must not be used by any other person or for any other purpose.

scale	1:1000	for A3	job no.	
date	FEB 201	6	rev no.	
approv	ved (PD)			SK001



ARRANGEMENT PLAN

SCALE 1:1000

LEGEND:



AS-BUILT SURVEYED EXTENTS (2016)

AS-BUILT CONSTRUCTION RECORD (2014)

HYDROGRAPHIC SURVEY

CADASTRAL BOUNDARY

PRELIMINARY

С	SEABED SURVEY EXTENDED	A.F	18/06/16
В	SEABED SURVEY ADDED	A.F	16/06/16
rev	description	app'd	date

COOK SHIRE COUNCIL WEBBER ESPLANADE REVETMENT WALL AS-BUILT DESIGN CHECK - SHEET 2 OF 2






145 Ann St Brisbane QLD 4000 Australia GPO Box 668 Brisbane QLD 4001 T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

Conditions of Use: This document may only be used by GHD's client (and any other person who GHD has agreed can use this document) for the purpose for which it was prepared and must not be used by any other person or for any other purpose.

approv	ved (PD)		5	SK002
date	FEB 2010	6	rev no.	С
scale	1:1000	for A3	job no.	




REV	BER ESPLA ETMEN	IT WA	_	-BUILT ET 1 OF 6
GH	D			
GPO Box T 61 7 33	at Brisbane QLD 4 668 Brisbane QLI 16 3000 F 61 7 3 @ghd.com W ww	D 4001 316 3333		
person who	f Use: This document GHD has agreed can d must not be used by	use this documer	nt) for the purpose	e for which it was
scale	1:250	for A3	job no.	
date	FEB 2016	i	rev no.	С
approv	ved (PD)		5	SK003

PRFI IMINARY

С	SEABED SURVEY EXTENDED	A.F	18/06/16
В	SEABED SURVEY ADDED	A.F	16/06/16
rev	description	app'd	date

COOK SHIRE COUNCIL



rev	description			app'd	date
WEBE REV					
GPO Box T 61 7 33	t Brisbane QLD 4 668 Brisbane QLD 4 668 Brisbane QLD 16 3000 F 61 7 3 @ghd.com W ww	0 4001 316 3333			
person who	GHD has agreed can	a may only be used by use this document) for y any other person or for	the purp	ose for which it	
scale	1:250	for A3 jo	b no	.	
date	FEB 2016	re	v no	. C	
approv	ved (PD)			SK0	04

SEABED SURVEY EXTENDED

SEABED SURVEY ADDED

С

В


PRELIMINARY

A.F

A.F

18/06/16

16/06/16






WEBE REV		ANADE	LL AS	-BUILT ET 3 OF 6
GPO Box T 61 7 33	St Brisbane QLD 4 668 Brisbane QL 16 3000 F 61 7 3 @ghd.com W w	D 4001 316 3333		
person who	f Use: This documen GHD has agreed car d must not be used b	n use this docume	nt) for the purpos	e for which it was
scale	1:250	for A3	job no.	
date	FEB 2016	6	rev no.	С
approv	ved (PD)		(SK005

С	SEABED SURVEY EXTENDED	A.F	18/06/16
В	SEABED SURVEY ADDED	A.F	16/06/16
rev	description	app'd	date


PRELIMINARY





COOK SHIRE COUNCIL WEBBER ESPLANADE REVETMENT WALL AS-BUILT SECTION REVIEW - SHEET 4 OF 6
145 Ann St Brisbane QLD 4000 Australia GPO Box 668 Brisbane QLD 4001 T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com
Conditions of Use: This document may only be used by GHD's client (and any other person who GHD has agreed can use this document) for the purpose for which it was prepared and must not be used by any other person or for any other purpose.
scale 1:250 for A3 job no.
date FEB 2016 rev no. C
approved (PD) SK006


PRELIMINARY

С	SEABED SURVEY EXTENDED	A.F	18/06/16
В	SEABED SURVEY ADDED	A.F	16/06/16
rev	description	app'd	date









Conditions of Use: This document may only be used by GHD's client (and any other person who GHD has agreed can use this document) for the purpose for which it was prepared and must not be used by any other person or for any other purpose.					
scale	1:250	for A3	job no.		
date	JUNE 20	for A3 016	rev no.	D	
approved (PD)			5	SK007	



D

С

rev

WEBBER ESPLANADE **REVETMENT WALL AS-BUILT** SECTION REVIEW - SHEET 5 OF 6

SEABED SURVEY EXTENDED

description

COOK SHIRE COUNCIL

145 Ann St Brisbane QLD 4000 Australia

GPO Box 668 Brisbane QLD 4001

T 61 7 3316 3000 **F** 61 7 3316 3333

E bnemail@ghd.com W www.ghd.com


PRELIMINARY SEABED SHOWN IN AHD A.F 01/06/16

A.F

app'd

18/06/16

date



Plot Date: 20 June 2016 - 9:05 AM Plotted by: Marilou Alzate

PRELIMINARY

D	SEABED SHOWN IN AHD	A.F	01/06/16
С	SEABED SURVEY EXTENDED	A.F	18/06/16
rev	description	app'd	date

COOK SHIRE COUNCIL WEBBER ESPLANADE **REVETMENT WALL AS-BUILT** SECTION REVIEW - SHEET 6 OF 6



145 Ann St Brisbane QLD 4000 Australia GPO Box 668 Brisbane QLD 4001 T 61 7 3316 3000 F 61 7 3316 3333 E bnemail@ghd.com W www.ghd.com

Conditions of Use: This document may only be used by GHD's client (and any other person who GHD has agreed can use this document) for the purpose for which it was prepared and must not be used by any other person or for any other purpose.

scale	1:250	for A3 016	job no.	
date	JUNE 20	016	rev no.	D
approved (PD)			5	SK008